



◀ **LEARN MORE ABOUT
THIS SYSTEM**



**MADE IN
THE U.S.A.**

AQUEOUS DPF CLEANING SYSTEM

FILTERTHERM®

NEW



FROM **DIRTY** TO **CLEAN & DRY...** **IN UNDER 2 HOURS!**

WWW.FILTERTHERM.COM 888-792-2922 INFO@FILTERTHERM.COM



COMPUTER GUIDED AQUEOUS CLEANING MACHINE

FTM1100

- **New Touchscreen** for easier operation.
- **Pre-Soak Station** for application of Proprietary Surfactant that embodies particles & loosens debris.
- **Edge-to-Edge Cleaning** to flush debris from the Filter with **600 Gallons of Recirculated Water** in a self-contained, dual-filter system.
- **Continuous Low-Pressure / High-Volume Water Stream** cleans in & around cell walls.
- **Non-Destructive Cleaning Process** does not compromise precious metals inside filter.

Specs: White Water Tank: 95 gal. capacity, Grey Water Tank: 40 gal. capacity.

Electrical: 208VAC 3 phase, 30A breaker. | **Equipment Dimensions:** 96" W x 48" D x 96" H (includes filter tank & control panel)

Shop footprint: 120" W x 78" D x 96" H (with clearance for the doors), leave 12" to 18" from wall.



ACCESSORIES & ADAPTER KITS:

Aqueous LD Kit - FTM1160

For Light Duty (LD) filters with smaller inlet/outlets.
Adapter sizes: 3", 3.5", 4", and 5".



Stand for
DOC
FTM1180

For washing DOCs with a side inlet.
Allows DOC to stand vertically.



Extension Hose 3' - FTM1185

3 Foot hose for extra long Light Duty (LD) filters.
Works with FTM1160 Aqueous LD Kit.

Riser Kit
12" diam
FTMPM24R

12" outside diameter.
Riser height: 2" and 4"



Riser Kit
18" diam
FTMPM24R-18


18" outside diameter. Riser height: 2" and 4".
Plus inner adapter ring to use with FTMPM24R

Light Duty
Dryout Kit
FTM2250
FOR DRYING
CABINET

For drying Light Duty filters with small openings. Includes: 3", 3.5", & 4" adapters, flanged adapter, (2) flex extension hoses, & a filter support hanger.



**MADE IN
THE U.S.A.**



FILTER DRYING CABINET

FTM2000 (SINGLE Element)

FTM2001 (DUAL Element)

- **Completely Dries** most Aqueous Cleaned Filters in **20 Minutes or Less.**
- **Accommodates** Filters **up to 24" in Height** and **up to 18" in Diameter.**



- **Get Hydro Rapid Release** to further **accelerate** drying times - breaks the water tension.
- **Compact Shop Footprint & Easy to Operate.**
- **Two options** to choose from:
 1. **FTM2000 (Single Element)** is our base model.
 2. **FTM2001 (Dual Element)** upgrade for even faster drying times. (larger circuit required)*

FTM2000 (Single Element) Specs: Electrical: Requires (2) 40 Amp circuits of 208VAC, 3 Phase.

FTM2001 (Dual Element) Specs: Electrical: Requires (1) 40 Amp & *(1) 60 Amp circuit of 208VAC, 3 Phase.

Equipment Dimensions: 34" W x 44" D x 79" H | Recommend venting hot air to outside.

Shop Footprint: 34" W x 72" D x 79" H (with clearance for the doors), leave 18" from wall.

DPF INSPECTION TABLE

FTM8003

- **Measures DPF flow rate and weight** of a filter
- **Ergonomic height** - transfer heavy filters more safely from table to cleaning machine & back again.
- **Equipped** with a **powerful light** that allows you to inspect the DPF for cracks.
- **Use the scale & pressure display** to get before & after cleaning weights, along with flow readings.
- **Comes with a USB charging port** & a shelf for your smart device.

Specs: Electrical: 120V 1 phase 19A power required

Equipment Dimensions: 46" W x 33" D x 35" H (47" H including display head)

Shop footprint: 48" W x 36" D x 36" H (locking caster wheels)



**INCLUDED
WITH THE
DPF
INSPECTION
TABLE**



Inspection Adapter Ring Kit

FTM1170

For inspecting smaller diameter filters.

Includes:

- (1) 8.5" inside diameter ring.
- (1) 10.5" inside diameter ring.



FILTERTHERM

www.filtertherm.com

SUPPLIES - AQUEOUS CLEANING SYSTEM:



**Concentrate
Surfactant**
FTM101960

Product Info:

- 80-oz of highly concentrated surfactant.
- Mix contents with water to make 5 gal of Surfactant.
- Cleans approx 160 filters (using 4 oz of Surfactant per filter).



**Concentrate
Surfactant**
FTM102119

Product Info:

- a 5 gallon bucket of highly concentrated surfactant.
- Will make (8x) 5 gal buckets of Surfactant.
- Cleans approx 1280 filters (using 4 oz of Surfactant per filter).



Bag Filters
FTM101702

Product Info:

- In quantity of 100 units.
- 10 micron filtration bag.
- Approx 5 - 10 cleanings per bag filter.



**Soot Soaking
Material**
FTM101959

Product Info:

- (1) 25 lb. bag of highly absorbent material.
- Each bag cleans approx 500 filters.



**Hydro Rapid
Release**
FTM103605

Product Info:

- A 128-oz of a specially formulated water tension reducer.
- Accelerates the drying process by releasing the water tension.
- Treats approx. 250-300 filters (spraying 6x total per filter, 3 per side). Large filters may require extra sprays.

***FILTER*TRAK®**

Build customer trust & streamline your workflow with FilterTRAK™. Our cloud-based software is the easiest way to document DPF cleanings with photos & service data. Impress clients with professional, detailed reports that clearly communicate the value of your work. Visit **www.FILTERTRAK.DIRECT**



**Filtertherm® DPF Cleaning Equipment now available
exclusively from Redline Emissions Products®**

“Offering **Filtertherm®** under the **REP** brand is a logical extension, adding enormous value to our robust all-makes line of DPF parts & accessories.”

- Anthony Soto, REP National Sales Manager